



Basic Pool Maintenance

| | |
|--|---|
| MAINTAIN LEVELS To prevent staining & damage to linings & fittings | <ul style="list-style-type: none">• PH: 7.2-7.6 in Marbelite pools or 7.0 7.2 in Fiberglass pools. Test weekly• Chlorine 1-3ppm. Test weekly• Total Alkalinity (TA): 80-120ppm. Test monthly• Stabiliser (cyanuric acid) < 50ppm. Test at least once per season. NB: High Stabiliser levels may result in insufficient free chlorine and harmful bacteria in your pool water• Copper/Iron: 0. Test once per season |
| FILTER | <ul style="list-style-type: none">• Summer 12 hours per night.• Winter 6-8 hours per night. <p>NB: Filtering hours may vary due to pool volume and pump/filters throughput</p> |
| BACKWASH/RINSE | <ul style="list-style-type: none">• Backwash the filter every 2 weeks or when automatic pool cleaner becomes sluggish. Backwash the filter for 2 minutes and Rinse the filter for 20 seconds. |
| REMOVE DEBRIS | <ul style="list-style-type: none">• Clear Pump and Weir Baskets. Weekly• Brush pool walls and floor. Weekly |

- **Calculate your pools Volume:** Length x Width x Depth X 1000

heretohelp

0-8600-222-40

www.hth.co.za