



Basic Pool Maintenance

Maintain Levels

To prevent skin & eye irritation, staining, and damage to linings.

pH levels:

7.2-7.6 (Marbelite pools)

7.0-7.2 (Fiberglass pools)

Test Frequency

Weekly

Chlorine levels:

1 - 3ppm

Test Frequency

Weekly

Total Alkalinity (TA) levels:

80 -120ppm

Test Frequency

Monthly

Copper/Iron levels:

0

Test Frequency

Once per season

Stabiliser (Cyanuric acid) levels:

Less than 50ppm

NB: High stabiliser levels may result in insufficient free chlorine and harmful bacteria in your pool.

Please follow label instructions when adding products to the pool

Test Frequency

At least once per season

Test monthly when using floaters

Filtering hours

NB: Hours may vary due to pool volume and pump filters throughout.

To calculate your pool volume: **Length x Width x Depth x 1000**

Summer

12hrs per night

Winter

6 - 8hrs per night

Backwash/Rinse

When your automatic pool cleaner becomes sluggish, backwash the filter for 2 minutes and rinse the filter for 20 seconds.

Frequency

Every 2 weeks

Remove debris

Clear pump and weir baskets

Frequency

Weekly

Brush pool walls and floor

Frequency

Weekly



0860 022 2240



hth.co.za