	Page: 1
SAFETY DATA SHEET	Revision Date: 07.10.2022
	Print Date: 26.10.2022
	SDS Number: R1600574
ALGAECIDE	Version: 1.0
214141	

### Conforms to EU Regulation 1907/2006/EC as amended.

# SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier

Trade name

: ALGAECIDE

### **1.2 Relevant identified uses of the substance or mixture and uses advised against** Use of the Substance/Mixture : Swimming Pool Sanitizer

<b>1.3 Details of the supplier of the safety data</b> <b>sheet</b> Innovative Water Care SA Holding (Pty) Ltd NCP Factory Site, 9 Hytor Street, Chloorkop 1624 Kempton Park South Africa	<b>1.4 Emergency telephone number</b> Europe: NCEC +44 (0)1235 239 670, Africa, and Middle East: NCEC +44 (0)1235 239 671 , or contact your local emergency telephone number at 112
E-mail address of person responsible for the SDS: EHSProductSafetyTeam@solenis.com	
<b>Product Information</b> Contact your local Solenis representative	

# **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### Classification (REGULATION (EC) No 1272/2008)

Skin corrosion, Sub-category 1B	H314: Causes severe skin burns and eye damage.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 2	H411: Toxic to aquatic life with long lasting effects.

### 2.2 Label elements

### Classification (REGULATION (EC) No 1272/2008)

	Page: 2
SAFETY DATA SHEET	Revision Date: 07.10.2022
	Print Date: 26.10.2022
	SDS Number: R1600574
ALGAECIDE	Version: 1.0
214141	

Hazardous components which must be listed on the label: Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides didecyldimethylammonium chloride POLYALUMINUM CHLORIDE HYDROXIDE

# 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SOLENIS Strong bonds. Trusted solutions.	Page: 3
SAFETY DATA SHEET	Revision Date: 07.10.2022
	Print Date: 26.10.2022
	SDS Number: R1600574
ALGAECIDE	Version: 1.0
214141	

# **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

# Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Quaternary ammonium compounds, benzyl-C12- 16-alkyldimethyl, chlorides	68424-85-1 939-253-5 01-2119965180-41- xxxx	Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318 Aquatic Acute 1; H400 <u>Aquatic Chronic 1; H410</u> M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1	>= 5 - < 10
didecyldimethylammonium chloride	7173-51-5 230-525-2	Flam. Liq. 3; H226 Acute Tox. 3; H301 Skin Corr. 1B; H314 Eye Dam. 1; H318 STOT SE 3; H336 (Central nervous system) Aquatic Acute 1; H400 <u>Aquatic Chronic 2; H411</u> M-Factor (Acute aquatic toxicity): 10	>= 5 - < 10
Aluminiumhydroxidechlorid e	1327-41-9 215-477-2 01-2119531563-43- xxxx	Eye Dam. 1; H318 Met. Corr. 1; H290	>= 1 - < 2,5

For explanation of abbreviations see section 16.

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

General advice	<ul> <li>Move out of dangerous area.</li> <li>Consult a physician.</li> <li>Show this safety data sheet to the doctor in attendance.</li> <li>Do not leave the victim unattended.</li> </ul>
lf inhaled	<ul> <li>Move to fresh air.</li> <li>If breathed in, move person into fresh air.</li> <li>Keep patient warm and at rest.</li> <li>If unconscious, place in recovery position and seek medical advice.</li> <li>If symptoms persist, call a physician.</li> </ul>

	Page: 4
SAFETY DATA SHEET	Revision Date: 07.10.2022
	Print Date: 26.10.2022
	SDS Number: R1600574
ALGAECIDE	Version: 1.0
214141	

In case of skin contact	: If on skin, rinse well with water. Wash contaminated clothing before re-use. If on clothes, remove clothes.
In case of eye contact	<ul> <li>In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.</li> <li>Continue rinsing eyes during transport to hospital.</li> <li>Remove contact lenses.</li> <li>Protect unharmed eye.</li> </ul>
If swallowed	<ul> <li>Get medical attention immediately.</li> <li>Do NOT induce vomiting.</li> <li>Rinse mouth with water.</li> <li>Do not give milk or alcoholic beverages.</li> <li>Never give anything by mouth to an unconscious person.</li> <li>If symptoms persist, call a physician.</li> </ul>
4.2 Most important symptom	ns and effects, both acute and delayed
Symptoms	: Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include: stomach or intestinal upset (nausea, vomiting, diarrhea) irritation (nose, throat, airways)
Risks	: Causes serious eye damage. Causes severe burns.

# 4.3 Indication of any immediate medical attention and special treatment needed

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray Foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	High volume water jet

# 5.2 Special hazards arising from the substance or mixture

Specific hazards during	:	If product is heated above its flash point it will produce vapors
firefighting		sufficient to support combustion. Vapors are heavier than air
		and may travel along the ground and be ignited by heat, pilot
		lights, other flames and ignition sources at locations near the

SOLENIS. Strong bonds. Trusted solutions.	Page:
SAFETY DATA SHEET	Revision Date: 07.10.202
	Print Date: 26.10.202
	SDS Number: R160057
ALGAECIDE	Version: 1
214141	

		Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	Carbon monoxide Carbon dioxide (CO2) Nitrogen oxides (NOx) toxic fumes hydrogen chloride
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Specific extinguishing methods	:	Product is compatible with standard fire-fighting agents.
Further information	:	Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Use a water spray to cool fully closed containers.

point of release.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	<ul> <li>Remove all sources of ignition.</li> <li>Use personal protective equipment.</li> <li>Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.</li> <li>Comply with all applicable federal, state, and local regulations.</li> <li>Suppress (knock down) gases/vapours/mists with a water spray jet.</li> </ul>
6.2 Environmental precautions Environmental precautions	<ul> <li>Prevent product from entering drains.</li> <li>Prevent further leakage or spillage if safe to do so.</li> <li>If the product contaminates rivers and lakes or drains inform respective authorities.</li> </ul>

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up :	:	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.
---------------------------	---	---

### 6.4 Reference to other sections

For further information see Section 8 and Section 13 of the safety data sheet.

	Page: 6
SAFETY DATA SHEET	Revision Date: 07.10.2022
	Print Date: 26.10.2022
	SDS Number: R1600574
ALGAECIDE	Version: 1.0
214141	

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Advice on safe handling	:	<ul> <li>Avoid formation of aerosol.</li> <li>Provide sufficient air exchange and/or exhaust in work rooms.</li> <li>Do not breathe vapours/dust.</li> <li>Container hazardous when empty.</li> <li>Avoid contact with skin and eyes.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>For personal protection see section 8.</li> <li>Dispose of rinse water in accordance with local and national regulations.</li> </ul>
Advice on protection against fire and explosion	:	No sparking tools should be used. Keep away from open flames, hot surfaces and sources of ignition.
Hygiene measures	:	Wash hands before breaks and at the end of workday. When using do not eat or drink. Ensure that eyewash stations and safety showers are close to the workstation location. When using do not smoke.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. No smoking. Electrical installations / working materials must comply with the technological safety standards.
Further information on storage stability	:	No decomposition if stored and applied as directed.

# 7.3 Specific end use(s)

Specific use(s)

: No data available

# SECTION 8: Exposure controls/personal protection

# 8.1 Control parameters

Contains no substances with occupational exposure limit values.

# 8.2 Exposure controls

# Engineering measures

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

	Page: 7
SAFETY DATA SHEET	Revision Date: 07.10.2022
	Print Date: 26.10.2022
	SDS Number: R1600574
ALGAECIDE	Version: 1.0
214141	

Personal protective equipme	nt
Eye protection	<ul> <li>Wear chemical splash goggles and face shield when there is potential for exposure of the eyes or face to liquid, vapor or mist.</li> <li>Maintain eye wash station in immediate work area.</li> </ul>
Hand protection	
Remarks	: The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Skin and body protection	<ul> <li>Wear as appropriate: Impervious clothing Chemical resistant apron Safety shoes Choose body protection according to the amount and concentration of the dangerous substance at the work place. Wear resistant gloves (consult your safety equipment supplier).</li> <li>Discard gloves that show tears, pinholes, or signs of wear.</li> </ul>

# SECTION 9: Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	colourless
Odour	:	slight
Odour Threshold	:	No data available
рН	:	7 - 8 Concentration: 1 %
Melting point/freezing point	:	No data available
Boiling point/boiling range	:	100 °C
Flash point	:	> 65 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available

SOLENIS. Strong bonds. Trusted solutions.	Page: 8
SAFETY DATA SHEET	Revision Date: 07.10.2022
	Print Date: 26.10.2022
	SDS Number: R1600574
ALGAECIDE	Version: 1.0
214141	

	Vapour pressure	:	No data available
	Relative vapour density	:	No data available
	Relative density	:	No data available
	Density	:	0,96 - 1,01 g/ml
	Solubility(ies) Water solubility	:	miscible
	Solubility in other solvents	:	No data available
	Partition coefficient: n- octanol/water	:	No data available
	Decomposition temperature	:	No data available
	Viscosity		
	Viscosity, dynamic	:	No data available
	Viscosity, kinematic	:	No data available
	Oxidizing properties	:	No data available
9.2	Other information		
	Self-ignition	:	No data available

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### **10.2 Chemical stability**

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions	:	Vapours may form explosive mixture with air.
---------------------	---	--

### 10.4 Conditions to avoid

Conditions to avoid

excessive heat

Protect from frost.

: Heat, flames and sparks.

### 10.5 Incompatible materials

Materials	to avoid
matorialo	lo uvoiu

- : aluminum Bases
  - brass

SOLENIS. Strong bonds. Trusted solutions.	Page: 9
SAFETY DATA SHEET	Revision Date: 07.10.2022
	Print Date: 26.10.2022
	SDS Number: R1600574
ALGAECIDE	Version: 1.0
214141	

Copper galvanized metals Iron Reducing agents steel Strong oxidizing agents Zinc

### **10.6 Hazardous decomposition products**

Hazardous decomposition	
products	

: Carbon monoxide Carbon dioxide (CO2) Nitrogen oxides (NOx) Hydrogen chloride gas

### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Acute toxicity

Not classified based on available information.

### Components:

### Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides:

### didecyldimethylammonium chloride:

Acute oral toxicity	:	LD50 (Rat): 238 mg/kg Method: OECD Test Guideline 401 GLP: yes
Acute dermal toxicity	:	LD50 (Rabbit): 3.342 mg/kg

# Aluminiumhydroxidechloride:

Acute oral toxicity	:	LD50 (Rat): 12.800 mg/kg

# Skin corrosion/irritation

Causes severe burns.

# Product:

Remarks

: Causes severe skin burns and eye damage.

### Components:

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides:				
Species	: Rabbit			
Result	: Causes burns.			

	Page: 10
SAFETY DATA SHEET	Revision Date: 07.10.2022
	Print Date: 26.10.2022
	SDS Number: R1600574
ALGAECIDE	Version: 1.0
214141	

didecyldimethylammoniu	ım chloride:
Method	: OECD Test Guideline 404
Result	: Corrosive to skin
GLP	: yes
Aluminiumhydroxidechlo	ride:
Species	: Rabbit
Method Result	: OECD Test Guideline 404
Result	: Not irritating to skin
Serious eye damage/eye	
Causes serious eye damag	ge.
Product:	
Remarks	: May cause irreversible eye damage.
_	
<u>Components:</u>	
Quaternary ammonium c	ompounds, benzyl-C12-16-alkyldimethyl, chlorides
Result	: Corrosive to eyes
didecyldimethylammoniu	ım chloride:
Result	: Corrosive to eyes
Aluminiumhydroxidechlo	sride-
Result	
Result	: Corrosive to eyes
Respiratory or skin sensi	itisation
Skin sensitisation	
Not classified based on ava	ailable information.
Respiratory sensitisation	1
Not classified based on ava	ailable information.
Components:	
didecyldimethylammoniu	ım chloride:
Test Type	: Buehler Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Germ cell mutagenicity	
Not classified based on ava	ailable information.
Components:	
didecyldimethylammoniu	um chloride:

# didecyldimethylammonium chloride:

Genotoxicity in vitro

10 / 19

: Test Type: Ames test

	Page: 11
SAFETY DATA SHEET	Revision Date: 07.10.2022
	Print Date: 26.10.2022
	SDS Number: R1600574
ALGAECIDE	Version: 1.0
214141	

Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative

Test Type: Chromosome aberration test in vitro Result: negative

### Carcinogenicity

Not classified based on available information.

### **Reproductive toxicity**

Not classified based on available information.

### STOT - single exposure

Not classified based on available information.

### **Components:**

### didecyldimethylammonium chloride:

Assessment : May cause drowsiness or dizziness.

#### STOT - repeated exposure

Not classified based on available information.

### Aspiration toxicity

Not classified based on available information.

### **Further information**

### Product:

Remarks

: No data available

### **SECTION 12: Ecological information**

### 12.1 Toxicity

### Components:

Quaternary ammonium com	po	unds, benzyl-C12-16-alkyldimethyl, chlorides:
Toxicity to fish	:	LC50 (Cyprinodon variegatus (sheepshead minnow)): 0,860 mg/l Exposure time: 96 h Test Type: flow-through test
		LC50 (Oncorhynchus mykiss (rainbow trout)): 0,923 mg/l Exposure time: 96 h Test Type: flow-through test
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0,016 mg/l Exposure time: 48 h

	Page: 12
SAFETY DATA SHEET	Revision Date: 07.10.2022
	Print Date: 26.10.2022
	SDS Number: R1600574
ALGAECIDE	Version: 1.0
214141	

		Test Type: static test
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (algae)): 0,049 mg/l End point: Growth inhibition Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes
M-Factor (Acute aquatic toxicity)	:	10
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 0,00415 mg/l End point: Reproduction Test Exposure time: 21 d Species: Daphnia magna (Water flea) Analytical monitoring: yes GLP: yes
M-Factor (Chronic aquatic toxicity)	:	1
didecyldimethylammonium	chl	oride:
Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 0,2 - 0,5 mg/l Exposure time: 96 h Test Type: semi-static test
		LC50 (Oncorhynchus mykiss (rainbow trout)): 0,328 - 0,511 mg/l Exposure time: 96 h Test Type: flow-through test
		LC50 (Danio rerio (zebra fish)): 0,97 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	:	LC 50 (Daphnia magna (Water flea)): 0,057 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 0,062 mg/l End point: Growth inhibition Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes

	Page: 13
SAFETY DATA SHEET	Revision Date: 07.10.2022
	Print Date: 26.10.2022
	SDS Number: R1600574
ALGAECIDE	Version: 1.0
214141	

M-Factor (Acute aquatic toxicity)	:	10
Toxicity to microorganisms	:	EC10 (Pseudomonas putida): 0,13 mg/l Exposure time: 16 h Test Type: Growth inhibition Method: DIN 38412
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 0,021 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Test Type: semi-static test Method: OECD Test Guideline 211 GLP: yes

# 12.2 Persistence and degradability

### Components:

Quaternary ammonium con	npounds, benzyl-C12-16-alkyldimethyl, chlorides:
Biodegradability	: Result: Readily biodegradable.

# didecyldimethylammonium chloride:

Biodegradability :	Test Type: aerobic Result: Readily biodegradable. Biodegradation: 69 % Exposure time: 28 d Method: OECD Test Guideline 301D GLP: yes Biodegradation: 72 %
	Exposure time: 28 d
	Method: OECD Test Guideline 301B
	Biodegradation: 87 - 94 %
	Exposure time: 28 d
	Method: OECD Test Guideline 302B
	Remarks: This surfactant complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.
12.3 Bioaccumulative potential	
Product:	
Bioaccumulation :	Remarks: The bioaccumulation potential cannot be determined.

### **Components:**

# Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides:

	Page: 14
SAFETY DATA SHEET	Revision Date: 07.10.2022
	Print Date: 26.10.2022
	SDS Number: R1600574
ALGAECIDE	Version: 1.0
214141	

Bioaccumulation	<ul> <li>Species: Bluegill (Lepomis macrochirus) Exposure time: 60 d Concentration: 0,25 mg/l Bioconcentration factor (BCF): 80,4 Method: Flow through</li> </ul>
	Species: Bluegill (Lepomis macrochirus) Exposure time: 60 d Concentration: 0,25 mg/l Bioconcentration factor (BCF): 33,3 Method: Flow through
didecyldimethylammoniu	ım chloride:
Bioaccumulation	: Species: Lepomis macrochirus (Bluegill sunfish) Exposure time: 46 d Bioconcentration factor (BCF): 81,00
<b>12.4 Mobility in soil</b> No data available	
12.5 Results of PBT and vPvE	3 assessment
Product:	
Assessment	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher
12.6 Other adverse effects	
Product:	
Additional ecological information	<ul> <li>An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.</li> <li>Very toxic to aquatic life.</li> <li>Toxic to aquatic life with long lasting effects.</li> </ul>

# SECTION 13: Disposal considerations

# 13.1 Waste treatment methods

Product	<ul> <li>The product should not be allowed to enter drain courses or the soil.</li> <li>Do not contaminate ponds, waterways or ditches chemical or used container.</li> <li>Send to a licensed waste management company</li> </ul>	with
	Dispose of in accordance with local regulations.	
Contaminated packaging	: Empty remaining contents.	

SOLENIS. Strong bonds. Trusted solutions.	Page: 15
SAFETY DATA SHEET	Revision Date: 07.10.2022
	Print Date: 26.10.2022
	SDS Number: R1600574
ALGAECIDE	Version: 1.0
214141	

Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

# **SECTION 14: Transport information**

### 14.1 UN number or ID number

**ADR:** UN1760

ADN: UN1760

**RID:** UN1760

IMDG-Code: UN1760

IATA-DGR: UN1760

### 14.2 UN proper shipping name

ADR: CORROSIVE LIQUID, N.O.S. (DIDECYLDIMETHYLAMMONIUM CHLORIDE) ADN: CORROSIVE LIQUID, N.O.S. (DIDECYLDIMETHYLAMMONIUM CHLORIDE) RID: CORROSIVE LIQUID, N.O.S. (DIDECYLDIMETHYLAMMONIUM CHLORIDE) IMDG-Code: CORROSIVE LIQUID, N.O.S. (DIDECYLDIMETHYLAMMONIUM CHLORIDE) IATA-DGR: Corrosive liquid, n.o.s. (DIDECYLDIMETHYLAMMONIUM CHLORIDE)

### 14.3 Transport hazard class(es)

ADR: 8 ADN: 8 RID: 8 IMDG-Code: 8 IATA-DGR: 8

14.4 Packing group

ADR: ||| ADN: ||| RID: ||| IMDG-Code: ||| IATA-DGR: |||

### 14.5 Environmental hazards

ADR: Environmentally hazardous ADN: Not applicable RID: Environmentally hazardous IMDG-Code: Marine pollutant

SOLENIS. Strong bonds. Trusted solutions.	Page: 16
SAFETY DATA SHEET	Revision Date: 07.10.2022
	Print Date: 26.10.2022
	SDS Number: R1600574
ALGAECIDE	Version: 1.0
214141	

### IATA-DGR: Not applicable

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: Conditions of restriction for the following entries should be considered: Number on list 3
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	: Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	: Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	: Not applicable
Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	: didecyldimethylammonium chloride
Seveso III: Directive 2012/18/EU of the E1 European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.	ENVIRONMENTAL HAZARDS

### Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

	Page: 1
SAFETY DATA SHEET	Revision Date: 07.10.202
	Print Date: 26.10.202
	SDS Number: R160057
ALGAECIDE	Version: 1.
214141	

The components of this product are reported in the following inventories:		
TCSI	:	On the inventory, or in compliance with the inventory
TSCA	:	All substances listed as active on the TSCA inventory
AIIC	:	On the inventory, or in compliance with the inventory
DSL	:	All components of this product are on the Canadian DSL
ENCS	:	On the inventory, or in compliance with the inventory
KECI	:	On the inventory, or in compliance with the inventory
PICCS	:	On the inventory, or in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory

# 15.2 Chemical safety assessment

No data available

### **SECTION 16: Other information**

### Further information

Revision Date: 07.10.2022

Classification of the mixture:		Classification procedure:
Skin Corr. 1B	H314	Calculation method
Eye Dam. 1	H318	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 2	H411	Calculation method

Full text of H-Statements	
H226 :	Flammable liquid and vapour.
H290 :	May be corrosive to metals.
H301 :	Toxic if swallowed.
H302 :	Harmful if swallowed.
H314 :	Causes severe skin burns and eye damage.
H318 :	Causes serious eye damage.
H336 :	May cause drowsiness or dizziness.
H400 :	Very toxic to aquatic life.
H410 :	Very toxic to aquatic life with long lasting effects.
H411 :	Toxic to aquatic life with long lasting effects.
Full text of other abbreviations	
Acute Tox.:Aquatic Acute:Aquatic Chronic:	Acute toxicity Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard

SOLENIS. Strong bonds. Trusted solutions.	Page: 18
SAFETY DATA SHEET	Revision Date: 07.10.2022
	Print Date: 26.10.2022
	SDS Number: R1600574
ALGAECIDE	Version: 1.0
214141	

Eye Dam. :	Serious eye damage
Flam. Liq.	Flammable liquids
Met. Corr.	Corrosive to metals
Skin Corr. :	Skin corrosion
STOT SE :	Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG -United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Safety Data Sheet Key literature references and sources of data SOLENIS Internal data SOLENIS internal data including own and sponsored test reports The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is

	Page: 19
SAFETY DATA SHEET	Revision Date: 07.10.2022
	Print Date: 26.10.2022
	SDS Number: R1600574
ALGAECIDE	Version: 1.0
214141	

not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This SDS has been prepared by the Solenis Environmental Health and Safety Department.

ZA / EN