		Page: 1
SAFETY DATA SHEET		Revision Date: 07.10.2022
		Print Date: 27.10.2022
		SDS Number: R1600587
PACE SMALL POOL FLOATER 214101		Version: 1.0

Conforms to EU Regulation 1907/2006/EC as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : PACE SMALL POOL FLOATER

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Swimming Pool Sanitizer


<p>1.3 Details of the supplier of the safety data sheet Innovative Water Care SA Holding (Pty) Ltd NCP Factory Site, 9 Hytor Street, Chloorkop 1624 Kempton Park South Africa</p> <p>E-mail address of person responsible for the SDS: EHSProductSafetyTeam@solenis.com</p> <p>Product Information Contact your local Solenis representative</p>	<p>1.4 Emergency telephone number Europe: NCEC +44 (0)1235 239 670, Africa, and Middle East: NCEC +44 (0)1235 239 671 , or contact your local emergency telephone number at 112</p>
---	---

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Oxidizing solids, Category 2	H272: May intensify fire; oxidizer.
Acute toxicity, Category 4	H302: Harmful if swallowed.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard,	H410: Very toxic to aquatic life with long lasting

		Page: 2
SAFETY DATA SHEET		Revision Date: 07.10.2022
		Print Date: 27.10.2022
		SDS Number: R1600587
PACE SMALL POOL FLOATER		Version: 1.0
214101		

Category 1

effects.

2.2 Label elements

Classification (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements :

- H272 May intensify fire; oxidizer.
- H302 Harmful if swallowed.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.
- H410 Very toxic to aquatic life with long lasting effects.

Supplemental Hazard Statements : EUH031 Contact with acids liberates toxic gas.

Precautionary statements :

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read carefully and follow all instructions.

Prevention:

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P220 Keep away from clothing and other combustible materials.
- P271 Use only outdoors or in a well-ventilated area.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

- P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
- P370 + P378 In case of fire: Use water spray to extinguish.
- P391 Collect spillage.


Storage:

- P405 Store locked up.

Disposal:

- P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:
 symclosene
 ALUMINUM SULFATE

		Page: 3
SAFETY DATA SHEET		Revision Date: 07.10.2022
		Print Date: 27.10.2022
		SDS Number: R1600587
PACE SMALL POOL FLOATER		Version: 1.0
214101		

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
symclosene	87-90-1 201-782-8	Ox. Sol. 2; H272 Acute Tox. 4; H302 Eye Irrit. 2; H319 STOT SE 3; H335 (Respiratory system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 80 - < 90
ALUMINUM SULFATE	10043-01-3 233-135-0 01-2119531538-36- xxxx	Met. Corr. 1; H290 Eye Dam. 1; H318	>= 15 - < 25

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : Move to fresh air.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : If on skin, rinse well with water.
First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.
If on clothes, remove clothes.

SAFETY DATA SHEET	Revision Date: 07.10.2022
	Print Date: 27.10.2022
	SDS Number: R1600587
PAGE SMALL POOL FLOATER	Version: 1.0
214101	

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.

If swallowed : Obtain medical attention.
Do NOT induce vomiting.
Rinse mouth with water.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include:
stomach or intestinal upset (nausea, vomiting, diarrhea)
irritation (nose, throat, airways)

Risks : Harmful if swallowed.
Causes serious eye damage.
May cause respiratory irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Probable mucosal damage may contraindicate the use of gastric lavage.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water

Unsuitable extinguishing media : Dry extinguishers containing ammonium compounds.


5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : May intensify fire, oxidizer.
Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Chlorine
nitrogen chloride
nitrogen compounds
toxic fumes

5.3 Advice for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

		Page: 5
SAFETY DATA SHEET		Revision Date: 07.10.2022
		Print Date: 27.10.2022
		SDS Number: R1600587
PACE SMALL POOL FLOATER 214101		Version: 1.0

for firefighters

Further information : Use water to cool containers exposed to fire.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
 Ensure adequate ventilation.
 Avoid dust formation.
 Avoid breathing dust.
 Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
 Comply with all applicable federal, state, and local regulations.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
 Prevent further leakage or spillage if safe to do so.
 If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up and shovel using a clean broom or shovel.
 Shovel material into clean dry containers.
 All spills of this product should be treated as contaminated.
 Contaminated product may initiate a chemical reaction that may spontaneously ignite any combustible material present, resulting in a fire.
 Avoid getting spilled product wet.
 Do not seal disposal containers tightly. Immediately remove all product in disposal containers to an isolated area outdoors.


6.4 Reference to other sections

For further information see Section 8 and Section 13 of the safety data sheet.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid dust formation.
 Provide sufficient air exchange and/or exhaust in work rooms.
 Do not breathe vapours/dust.
 Do not smoke.
 Container hazardous when empty.
 Avoid exposure - obtain special instructions before use.
 Avoid contact with skin and eyes.
 Smoking, eating and drinking should be prohibited in the application area.

		Page: 6
SAFETY DATA SHEET		Revision Date: 07.10.2022
		Print Date: 27.10.2022
		SDS Number: R1600587
PACE SMALL POOL FLOATER		Version: 1.0
214101		

For personal protection see section 8.
 Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Keep away from combustible material. Provide appropriate exhaust ventilation at places where dust is formed.

Hygiene measures : Avoid breathing dust. Wash hands before breaks and at the end of workday. When using do not eat or drink. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

Store in original container.

Further information on storage stability : Do not store next to a heat source, in direct sunlight, or elevated temperatures. Do not store where the daily average temperature exceeds prescribed storage temperature for 7 consecutive days. Prevent ingress of humidity and moisture into container or package. Keep containers tightly closed.

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures


Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Provide appropriate exhaust ventilation at places where dust is formed.

Personal protective equipment

Eye protection : Wear chemical splash goggles and face shield to protect eyes and skin from airborne dust.
 Maintain eye wash station in immediate work area.

Hand protection


		Page: 7
SAFETY DATA SHEET		Revision Date: 07.10.2022
		Print Date: 27.10.2022
		SDS Number: R1600587
PACE SMALL POOL FLOATER 214101		Version: 1.0

- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Skin and body protection : Wear as appropriate:
 Safety shoes
 Dust impervious protective suit
 Flame-resistant clothing
 Choose body protection according to the amount and concentration of the dangerous substance at the work place.
 Wear resistant gloves (consult your safety equipment supplier).
- Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.
 Dust safety masks are recommended when the dust concentration is more than 10 mg/m³.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Appearance : tablet
- Colour : white
- Odour : strong
- Odour Threshold : No data available
- pH : 2,7 - 3,2
 Concentration: 1 %
- Melting point/range : 225 - 230 °C
 Decomposition: yes
- Boiling point/boiling range : No data available
- Flash point : No data available
- Evaporation rate : No data available
- Flammability (solid, gas) : No data available
- Upper explosion limit / Upper flammability limit : No data available
- Lower explosion limit / Lower flammability limit : No data available
- Vapour pressure : No data available

		Page: 8
SAFETY DATA SHEET		Revision Date: 07.10.2022
		Print Date: 27.10.2022
		SDS Number: R1600587
PACE SMALL POOL FLOATER 214101		Version: 1.0

- Relative vapour density : No data available
- Relative density : No data available
- Density : 0,9 - 1,2 g/ml
- Solubility(ies)
 - Water solubility : moderately soluble
 - Solubility in other solvents : No data available
- Partition coefficient: n-octanol/water : No data available
- Decomposition temperature : No data available
- Viscosity
 - Viscosity, dynamic : No data available
 - Viscosity, kinematic : No data available
- Oxidizing properties : The substance or mixture is classified as oxidizing with the category 2.

9.2 Other information

- Metal corrosion rate : Not corrosive to metals
- Self-ignition : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under recommended storage conditions.
 May be unstable at temperatures above 225 Deg. C (437 Deg. F).


10.3 Possibility of hazardous reactions

- Hazardous reactions : Product will not undergo hazardous polymerization.

10.4 Conditions to avoid

- Conditions to avoid : excessive heat
Heat, flames and sparks.
- Keep away from heat, flame, sparks and other ignition sources.

10.5 Incompatible materials

		Page: 9
SAFETY DATA SHEET		Revision Date: 07.10.2022
		Print Date: 27.10.2022
		SDS Number: R1600587
PACE SMALL POOL FLOATER 214101		Version: 1.0

Materials to avoid : Do not allow product to come in contact with other materials, including e.g. other pool treatment products, acids, organic materials, nitrogen-containing compounds, dry powder fire extinguishers (containing mono-ammonium phosphate), oxidizers, all corrosive liquids, flammable or combustible materials, etc. A chemical reaction with such substances can cause a fire.

If product is exposed to small amounts of water, it can react violently to produce heat and toxic gases and spatter.

10.6 Hazardous decomposition products

Hazardous decomposition products : Chlorine
nitrogen chloride
nitrogen compounds
toxic fumes

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Harmful if swallowed.

Components:

symclosene:

Acute oral toxicity : LD50 (Rat): 490 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

ALUMINUM SULFATE:

Acute oral toxicity : LD50 (Rat, female): > 2.000 - < 5.000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

Skin corrosion/irritation

Not classified based on available information.


Components:

ALUMINUM SULFATE:

Species : Rabbit
Result : Not irritating to skin

Serious eye damage/eye irritation

Causes serious eye damage.

		Page: 10
SAFETY DATA SHEET		Revision Date: 07.10.2022
		Print Date: 27.10.2022
		SDS Number: R1600587
PACE SMALL POOL FLOATER 214101		Version: 1.0

Product:

Remarks : May cause irreversible eye damage.

Components:

symclosene:

Species : Rabbit
 Result : Severely irritating to eyes

ALUMINUM SULFATE:

Species : Rabbit
 Method : OECD Test Guideline 405
 Result : Corrosive to eyes

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Components:


ALUMINUM SULFATE:

Genotoxicity in vitro : Test Type: Ames test
 Test system: Salmonella typhimurium
 Metabolic activation: with and without metabolic activation
 Method: OECD Test Guideline 471
 Result: negative
 GLP: yes

Test Type: Ames test
 Test system: Escherichia coli
 Metabolic activation: with and without metabolic activation
 Method: OECD Test Guideline 471
 Result: negative
 GLP: yes

Test Type: In vitro mammalian cell gene mutation test
 Test system: mouse lymphoma cells
 Metabolic activation: with and without metabolic activation
 Method: OECD Test Guideline 476
 Result: negative
 GLP: yes

Test Type: Micronucleus test
 Test system: Human lymphocytes

		Page: 11
SAFETY DATA SHEET		Revision Date: 07.10.2022
		Print Date: 27.10.2022
		SDS Number: R1600587
PACE SMALL POOL FLOATER 214101		Version: 1.0

Metabolic activation: with and without metabolic activation
 Method: OECD Test Guideline 487
 Result: negative
 GLP: yes

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause respiratory irritation.

Components:

symclosene:

Target Organs : Respiratory Tract
 Assessment : May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity


Components:

symclosene:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,23 mg/l
 End point: mortality
 Exposure time: 96 h
 GLP: yes

LC50 (Oncorhynchus mykiss (rainbow trout)): 0,24 mg/l
 End point: mortality
 Exposure time: 96 h
 GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,17 mg/l
 Exposure time: 48 h

		Page: 12
SAFETY DATA SHEET		Revision Date: 07.10.2022
		Print Date: 27.10.2022
		SDS Number: R1600587
PACE SMALL POOL FLOATER 214101		Version: 1.0

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 1

ALUMINUM SULFATE:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l
 Exposure time: 96 h
 Test Type: static test
 Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
 Exposure time: 48 h
 Method: OECD Test Guideline 202
 Remarks: Based on similar product.

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
 End point: Growth inhibition
 Exposure time: 72 h
 Test Type: static test
 Method: OECD Test Guideline 201
 GLP: yes

Toxicity to microorganisms : EC50 (activated sludge): > 1.000 mg/l
 Exposure time: 180 min
 Test Type: Static
 Method: OECD Test Guideline 209
 GLP: yes
 Remarks: Based on similar product.

12.2 Persistence and degradability

Components:

symclosene:

Biodegradability : Result: Not readily biodegradable.
 Biodegradation: 2 %
 Exposure time: 28 d
 Method: OECD Test Guideline 301D


ALUMINUM SULFATE:

Biodegradability : Result: The methods for determining biodegradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: The bioaccumulation potential cannot be

		Page: 13
SAFETY DATA SHEET		Revision Date: 07.10.2022
		Print Date: 27.10.2022
		SDS Number: R1600587
PACE SMALL POOL FLOATER 214101		Version: 1.0

determined.

Components:

symclosene:

Partition coefficient: n-octanol/water : log Pow: 0,94

ALUMINUM SULFATE:

Bioaccumulation : Species: Atlantic salmon (*Salmo salar*)
 Exposure time: 60 d
 Bioconcentration factor (BCF): 76 - 190
 Method: Flow through

Species: Atlantic salmon (*Salmo salar*)
 Exposure time: 45 d
 Concentration: 0,264 mg/l
 Bioconcentration factor (BCF): 362
 Method: Flow through

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Other adverse effects

Product:


Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
 Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.
 Do not contaminate ponds, waterways or ditches with chemical or used container.

Dispose of in accordance with local regulations.

		Page: 14
SAFETY DATA SHEET		Revision Date: 07.10.2022
		Print Date: 27.10.2022
		SDS Number: R1600587
PACE SMALL POOL FLOATER 214101		Version: 1.0

Contaminated packaging : Empty remaining contents.
 Dispose of as unused product.
 Empty containers should be taken to an approved waste handling site for recycling or disposal.
 Do not re-use empty containers.
 Do not burn, or use a cutting torch on, the empty drum.

SECTION 14: Transport information

14.1 UN number or ID number

ADR: UN2468

ADN: UN2468

RID: UN2468

IMDG-Code: UN2468

IATA-DGR: UN2468

14.2 UN proper shipping name

ADR: TRICHLOROISOCYANURIC ACID, DRY

ADN: TRICHLOROISOCYANURIC ACID, DRY

RID: TRICHLOROISOCYANURIC ACID, DRY

IMDG-Code: TRICHLOROISOCYANURIC ACID, DRY

IATA-DGR: Trichloroisocyanuric acid, dry

14.3 Transport hazard class(es)

ADR: 5.1

ADN: 5.1

RID: 5.1

IMDG-Code: 5.1

IATA-DGR: 5.1

14.4 Packing group

ADR: II

ADN: II

RID: II

IMDG-Code: II


IATA-DGR: II

14.5 Environmental hazards

ADR: Environmentally hazardous

ADN: Not applicable

RID: Environmentally hazardous

		Page: 15
SAFETY DATA SHEET		Revision Date: 07.10.2022
		Print Date: 27.10.2022
		SDS Number: R1600587
PACE SMALL POOL FLOATER 214101		Version: 1.0

IMDG-Code: Marine pollutant

IATA-DGR: Not applicable

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable


Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. P8 OXIDIZING LIQUIDS AND SOLIDS

E1 ENVIRONMENTAL HAZARDS

		Page: 16
SAFETY DATA SHEET		Revision Date: 07.10.2022
		Print Date: 27.10.2022
		SDS Number: R1600587
PACE SMALL POOL FLOATER 214101		Version: 1.0

The components of this product are reported in the following inventories:

- TCSI : On the inventory, or in compliance with the inventory
- TSCA : All substances listed as active on the TSCA inventory
- AIIC : On the inventory, or in compliance with the inventory
- DSL : This product contains one or more components that are not on the Canadian DSL and have annual quantity limits.
- ENCS : On the inventory, or in compliance with the inventory
- KECI : On the inventory, or in compliance with the inventory
- PICCS : On the inventory, or in compliance with the inventory
- IECSC : On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Further information

Revision Date: 07.10.2022

Classification of the mixture:

Ox. Sol. 2 H272
 Acute Tox. 4 H302
 Eye Dam. 1 H318
 STOT SE 3 H335
 Aquatic Acute 1 H400
 Aquatic Chronic 1 H410

Classification procedure:


Based on product data or assessment
 Calculation method
 Calculation method
 Calculation method
 Calculation method
 Calculation method

Full text of H-Statements

H272 : May intensify fire; oxidizer.
 H290 : May be corrosive to metals.
 H302 : Harmful if swallowed.
 H318 : Causes serious eye damage.
 H319 : Causes serious eye irritation.
 H335 : May cause respiratory irritation.
 H400 : Very toxic to aquatic life.
 H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity
 Aquatic Acute : Short-term (acute) aquatic hazard

		Page: 17
SAFETY DATA SHEET		Revision Date: 07.10.2022
		Print Date: 27.10.2022
		SDS Number: R1600587
PACE SMALL POOL FLOATER		Version: 1.0
214101		

Aquatic Chronic : Long-term (chronic) aquatic hazard
 Eye Dam. : Serious eye damage
 Eye Irrit. : Eye irritation
 Met. Corr. : Corrosive to metals
 Ox. Sol. : Oxidizing solids
 STOT SE : Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Safety Data Sheet


Key literature references and sources of data

SOLENIS Internal data

SOLENIS internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a

	Page: 18
SAFETY DATA SHEET	Revision Date: 07.10.2022
	Print Date: 27.10.2022
	SDS Number: R1600587
PACE SMALL POOL FLOATER 214101	Version: 1.0

guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This SDS has been prepared by the Solenis Environmental Health and Safety Department.

ZA / EN